














LYCAENIDAE *Satyrium acaciae*











HESPERIIDAE *Thymelicus acteon*











NYPHALIDAE *Argynnis adippe*












LYCAENIDAE *Polyommatus admetus*












SATYRIDAE *Pararge aegeria*









SATYRIDAE *Erebia aethiops*











SATYRIDAE *Proterebia afra*









LYCAENIDAE *Aricia agestis*












NYPHALIDAE *Argynnis aglaja*










HESPERIIDAE *Carcharodus alceae*












LYCAENIDAE *Cupido alcetas*










LYCAENIDAE *Lycaena alciphron*











PAPILIONIDAE *Papilio alexanor*











LYCAENIDAE *Glaucopsyche alexis*











PIERIDAE *Colias alfacariensis*











HESPERIIDAE *Pyrgus alveus*












LYCAENIDAE *Polyommatus amanda*










SATYRIDAE *Pseudochazara amydone*











LYCAENIDAE *Polyommatus andronicus*











LYCAENIDAE *Aricia anteros*













SATYRIDAE *Pseudochazara anthelea*










NYPHALIDAE *Nymphalis antiopa*











PAPILIONIDAE Archon apollinus











PAPILIONIDAE *Pamassius apollo*











SATYRIDAE *Coenonympha arcania*












NYPHALIDAE *Melitaea arduinna*











SATYRIDAE *Arethusana arethusana*











LYCAENIDAE *Cupido argiades*











LYCAENIDAE *Celastrina argiolus*












LYCAENIDAE *Plebeius argus*










LYCAENIDAE *Plebeius argyrognomon*











LYCAENIDAE *Maculinea arion*













HESPERIIDAE *Pyrgus armoricanus*











LYCAENIDAE *Polyommatus aroaniensis*

















SATYRIDAE *Ypthima asterope*












Nymphalidae *Vanessa atalanta*










NYPHALIDAE *Melitaea athalia*












NYPHALIDAE *Melitaea aurelia*










NYMPHALIDAE *Euphydryas aurinia*













PIERIDAE *Colias aurorina*










PIERIDAE *Euchloe ausonia*












PIERIDAE *Pieris balcana*











LYCAENIDAE *Tarucus balkanicus*











LYCAENIDAE *Pseudophilotes bavius*











LYCAENIDAE *Polyommatus bellargus*












LYCAENIDAE *Thecla betulae*










LYCAENIDAE *Lampides boeticus*











PIERIDAE *Pieris brassicae*











LYCAENIDAE *Plebeius bretheroni*











SATYRIDAE *Chazara briseis*












NYPHALIDAE *Polygonia c-album*










NYPHALIDAE *Limnitis camilla*











LYCAENIDAE *Lycaena candens*













PIERIDAE *Anthocharis cardamines*











NYPHALIDAE *Vanessa cardui*

















SATYRIDAE *Erebia cassioides*











PIERIDAE *Colias caucasica*












SATYRIDAE *Pyronia cecilia*












LIBYTHEIDAE *Libythea celtis*








PAPILIONIDAE *Allancastris cerisy*







SATYRIDAE *Maniola chia*







A: 0 Actual localities : 27
 B: 0
 C: 2 1'30" x 3':
 D: 9
 T: 11 6' x 6': 16







A: 0 Actual localities : 7
 B: 0
 C: 0 1'30" x 3': 6
 D: 11
 T: 11 6' x 6': 5





PIERIDAE *Pontia chloridice*







a : 1260
 b : 18
 b / a : 1.42%









SATYRIDAE *Hipparchia christenseni*











DANAIDAE *Danaus chrysippus*











HESPERIIDAE *Pyrgus cinarae*












NYPHALIDAE *Melitaea cinxia*












SATYRIDAE *Brintesia circe*












PIERIDAE *Gonepteryx cleopatra*










SATYRIDAE *Esperarge climene*











LYCAENIDAE *Polyommatus coelestina*











HESPERIIDAE *Hesperia comma*











LYCAENIDAE *Polyommatus coridon*











PIERIDAE *Aporia crataegi*











PAPILIONIDAE *Allancastria cretica*












SATYRIDAE *Hipparchia cretica*











PIERIDAE *Colias crocea*












LYCAENIDAE *Polyommatus damon*











PIERIDAE *Anthocharis damone*











LYCAENIDAE *Polyommatus dantchenko*












NYPHALIDAE *Brethis daphne*










LYCAENIDAE *Polyommatus daphnis*











LYCAENIDAE *Cupido decoloratus*











SATYRIDAE *Hipparchia delattini*











NYPHALIDAE *Boloria dia*











NYPHALIDAE *Melitaea didyma*











LYCAENIDAE *Lycaena dispar*












LYCAENIDAE *Polyommatus dorylas*











SATYRIDAE *Minois dryas*











PIERIDAE *Leptidea duponcheli*












PIERIDAE *Pontia edusa*












NYPHALIDAE *Polygonia egea*












LYCAENIDAE *Polyommatus eleniae*










SATYRIDAE *Erebia epiphron*











PIERIDAE *Colias erate*











PIERIDAE *Pieris ergane*












LYCAENIDAE *Polyommatus eroides*











LYCAENIDAE *Polyommatus escheri*












LYCAENIDAE *Aricia eumedon*











NYPHALIDAE *Boloria euphrosyne*










SATYRIDAE *Erebia euryale*











LYCAENIDAE *Plebeius eurypilus*











SATYRIDAE *Hipparchia fagi*











PIERIDAE *Gonepteryx farinosa*












SATYRIDAE *Hipparchia fatua*










SATYRIDAE *Satyrus ferula*











HESPERIIDAE *Carcharodus flocciferus*












SATYRIDAE *Melanargia galathea*













SATYRIDAE *Pseudochazara geyeri*











SATYRIDAE *Coenonympha glycerion*

















SATYRIDAE *Pseudochazara graeca*











PIERIDAE *Anthocharis gruneri*












SATYRIDAE *Maniola halicarnassus*










NYPHALIDAE *Brenthis hecate*











SATYRIDAE *Aphantopus hyperantus*











HESPERIIDAE *Thymelicus hyrax*












LYCAENIDAE *Polyommatus icarus*










LYCAENIDAE *Plebeius idas*











NYPHALIDAE *Apatura ilia*











LYCAENIDAE *Satyrium ilicis*











NYPHALIDAE *Inachis io*












LYCAENIDAE *lolana iolas*








LYCAENIDAE *Polyommatus iphigenia*







NYMPHALIDAE *Apatura iris*





12/1/0



A : 0 Actual localities : 174
 B : 2
 C : 7 1'30" x 3'
 D : 40
 T : 49 6' x 6' : 114







A : 0 Actual localities : 20
 B : 0
 C : 6 1'30" x 3' : 15
 D : 23
 T : 29 6' x 6' : 14





NYPHALIDAE *Charaxes jasius*








a : 1260
 b : 123
 b / a : 9.76%









SATYRIDAE *Maniola jurtina*











LYCAENIDAE *Zizeeria karsandra*











PIERIDAE *Pieris krueperi*












SATYRIDAE *Melanargia larissa*










NYPHALIDAE *Issoria lathonia*











HESPERIIDAE *Carcharodus lavatherae*












SATYRIDAE *Coenonympha leander*











LYCAENIDAE *Satyrium ledereri*










NYPHALIDAE *Araschnia levana*











SATYRIDAE *Erebia ligea*












HESPERIIDAE *Thymelicus lineola*










LYCAENIDAE *Plebeius loewii*











RIODINIDAE *Hamearis lucina*











SATYRIDAE *Hyponephele lupina*









SATYRIDAE *Hyponephele lycaon*







PAPILIONIDAE *Papilio machaon*





12/1/0



A : 136 Actual localities : 484
 B : 200
 C : 168 1'30" x 3'
 D : 119
 T : 623 6' x 6' : 264







A : 211 Actual localities : 345
 B : 517
 C : 326 1'30" x 3'
 D : 76
 T : 1130 6' x 6' : 118





SATYRIDAE *Lasiommata maera*







a : 1260
 b : 324
 b / a : 25.71%







HESPERIIDAE *Pyrgus malvae*







PIERIDAE *Pieris mannii*





12/1/0



A : 27 Actual localities : 120
 B : 48
 C : 49 1'30" x 3'
 D : 21
 T : 145 6' x 6' : 77







A : 5 Actual localities : 43
 B : 12
 C : 44 1'30" x 3'
 D : 24
 T : 85 6' x 6' : 29





HESPERIIDAE *Erynnis marloyi*







a : 1260
 b : 100
 b / a : 7.93%









SATYRIDAE *Erebia medusa*












SATYRIDAE *Maniola megalis*











SATYRIDAE *Lasiommata megera*











SATYRIDAE *Erebia melas*












LYCAENIDAE *Polyommatus menelaos*










SATYRIDAE *Hipparchia mersina*











NYPHALIDAE *Apatura metis*











LYCAENIDAE *Cupido minimus*











PAPILIONIDAE *Parnassius mnemosyne*











PIERIDAE *Pieris napi*











LYCAENIDAE *Polyommatus nephoiptamenes*












NYMPHALIDAE *Argynnis niobe*










HESPERIIDAE *Gegenes nostradamus*











SATYRIDAE *Erebia oeme*











HESPERIIDAE *Spialia orbifer*











SATYRIDAE *Pseudochazara orestes*












HESPERIIDAE *Carcharodus orientalis*











LYCAENIDAE *Scolitantides orion*










LYCAENIDAE *Cupido osiris*











SATYRIDAE *Erebia ottomana*











LYCAENIDAE *Lycaena ottomanus*











HESPERIIDAE *Carterocephalus palaemon*











SATYRIDAE *Coenonympha pamphilus*











NYPHALIDAE *Argynnis pandora*












NYPHALIDAE *Argynnis paphia*










SATYRIDAE *Hipparchia pellucida*











PIERIDAE *Euchloe penia*












SATYRIDAE *Lasiommata petropolitana*











LYCAENIDAE *Lycaena phlaeas*

















NYMPHALIDAE *Melitaea phoebe*











LYCAENIDAE *Lampides pirithous*











PAPILIONIDAE *Iphiclides podalirius*











NYPHALIDAE *Nymphalis polychloros*











PAPILIONIDAE *Zerynthia polyxena*












NYPHALIDAE *Limnitis populi*










HESPERIIDAE *Muschampia proto*












LYCAENIDAE *Satyrium pruni*










LYCAENIDAE *Plebeius psylorita*











HESPERIIDAE *Gegenes pumilio*











LYCAENIDAE *Plebeius pylaon*











LYCAENIDAE *Plebeius pyrenaicus*












LYCAENIDAE *Neozephyrus quercus*











PIERIDAE *Pieris rapae*










PIERIDAE *Leptidea reali*











LYCAENIDAE *Maculinea rebeli*












NYPHALIDAE *Limenitis reducta*











PIERIDAE *Gonepteryx rhamni*












SATYRIDAE *Erebia rhodopensis*











SATYRIDAE *Coenonympha rhodopenis*










LYCAENIDAE *Polyommatus ripartii*











NYMPHALIDAE *Neptis rivularis*











SATYRIDAE *Kirinia roxelana*











LYCAENIDAE *Callophrys rubi*











SATYRIDAE *Melanargia russiae*











NYMPHALIDAE *Neptis sappho*











LYCAENIDAE *Polyommatus semiargus*











SATYRIDAE *Hipparchia senthes*











HESPERIIDAE *Pyrgus serratulae*











HESPERIIDAE *Pyrgus sidae*











PIERIDAE *Leptidea sinapis*













LYCAENIDAE *Satyrium spini*










SATYRIDAE *Hipparchia statilinus*











HESPERIIDAE *Carcharodus stauderi*











HESPERIIDAE *Ochloides sylvanus*











HESPERIIDAE *Thymelicus sylvestris*











SATYRIDAE *Hipparchia syriaca*











HESPERIIDAE *Erynnis tages*











LYCAENIDAE *Turanana taygetica*











SATYRIDAE *Maniola telmessia*











NYPHALIDAE *Melitaea telona*











HESPERIIDAE *Muschampia tessellum*











LYCAENIDAE *Lycaena thersamon*











LYCAENIDAE *Polyommatus thersites*











LYCAENIDAE *Lycaena thetis*











HESPERIIDAE *Pelopidas thrax*











SATYRIDAE *Coenonympha thysis*











SATYRIDAE *Pseudochazara tisiphone*











SATYRIDAE *Pyronia tithonus*












LYCAENIDAE *Lycaena tityrus*











NYPHALIDAE *Melitaea trivia*










LYCAENIDAE *Chilades trochylus*











NYPHALIDAE *Aglais urticae*












LYCAENIDAE *Pseudophilotes vicrama*










LYCAENIDAE *Lycaena virgaureae*





LYCAENIDAE *Satyrium w-album*





NYPHALIDAE *Nymphalis xanthomelas*

