

84	<i>Agriades dardanus</i> (Freyer, 1843)	CR B1ab(iii,v)	B1ab(ii,iii)+2ab(ii,iii)	EN								NT	NT
85	<i>Aricia agestis</i> ([Denis & Schiffmüller], 1775)	LC											
86	<i>Aricia artaxerxes</i> (Fabricius, 1793)	LC											
87	<i>Aricia anteros</i> (Freyer, 1838)	LC										NT	LC
88	<i>Eumedonia eumedon</i> (Esper, 1780)	NT B2ab(iii)											
89	<i>Cyaniris semiargus</i> (Rottemburg, 1775)	LC											
90	<i>Polvommatius damon</i> ([Denis & Schiffmüller], 1775)	-							x			NT	NT
91	<i>Polvommatius iphigenia</i> (Herrich-Schäffer, 1847)	EN A2c; B1ab(ii,iii,v)+2ab(ii,iii,v)	B1ab(ii,iii)+2ab(ii,iii)	EN									
92	<i>Polvommatius admetus</i> (Esper, 1783)	-							x				
93	<i>Polvommatius aroaniensis</i> (Brown, 1976)	-											
94	<i>Polvommatius ripartii</i> (Freyer, 1830)	-							x			LC	NT
95	<i>Polvommatius timfristus</i> Lukhtanov, Vishnevskaya & Shapoval, 2016	NT B2a											
96	<i>Polvommatius orphicus</i> Kolev, 2005	EN B1ab(iii,v)+2ab(iii,v)	B1ab(ii,iii)+2ab(ii,iii)	CR								VU*	VU*
97	<i>Polvommatius nephohiptamenos</i> (Brown & Coutsis, 1978)	EN B1ab(iii,v)+2ab(iii,v)										NT*	NT*
98	<i>Neolysandra coelestina</i> (Eversmann, 1843)	EN B1ab(iii,v)+2ab(iii,v)											
99	<i>Polvommatius daphnis</i> ([Denis & Schiffmüller], 1775)	-											
100	<i>Lysandra coridon</i> (Poda, 1761)	LC											
101	<i>Lysandra bellargus</i> (Rottemburg, 1775)	-											
102	<i>Polvommatius escheri</i> (Hübner, [1823])	-											
103	<i>Polvommatius amandus</i> (Schneider, 1792)	-											
104	<i>Polvommatius thersites</i> (Cantener, 1835)	-											
105	<i>Polvommatius dorvlas</i> ([Denis & Schiffmüller], 1775)	-										NT	NT
106	<i>Polvommatius eros</i> (Ochsenheimer, 1808)	LC	B1ab(ii,iii)+2ab(ii,iii)	EN					x		x	NT	NT
107	<i>Polvommatius icarus</i> (Rottemburg, 1775)	LC											
108	<i>Charaxes jasius</i> (Linnaeus, 1767)	LC							x				
109	<i>Apatura iris</i> (Linnaeus, 1758)	LC							x				
110	<i>Apatura ilia</i> ([Denis & Schiffmüller], 1775)	LC							x				
111	<i>Apatura metis</i> Freyer, 1829	LC								x	x		
112	<i>Limenitis populi</i> (Linnaeus, 1758)	NT B1ab(iii)+2ab(iii)	B1ab(ii,iii)+2ab(ii,iii)	VU								LC	NT
113	<i>Limenitis camilla</i> (Linnaeus, 1764)	LC	B1ab(ii,iii)+2ab(ii,iii)	VU									
114	<i>Limenitis reducta</i> Staudinger, 1901	LC											
115	<i>Neptis sappho</i> (Pallas, 1771)	-	B1ab(ii,iii)+2ab(ii,iii)	VU									
116	<i>Neptis rivularis</i> (Scopoli, 1763)	LC	B1ab(ii,iii)+2ab(ii,iii)	VU									
117	<i>Nymphalis xanthomelas</i> ([Denis & Schiffmüller], 1775)	NT B2ab(v)	A3c, B1ab(ii,iii)+2ab(ii,ii)	VU								LC	NT
118	<i>Nymphalis polychloros</i> (Linnaeus, 1758)	LC											
119	<i>Nymphalis antiopa</i> (Linnaeus, 1758)	LC											
120	<i>Aglais io</i> (Linnaeus, 1758)	LC											
121	<i>Vanessa atalanta</i> (Linnaeus, 1758)	LC											
122	<i>Vanessa cardui</i> (Linnaeus, 1758)	LC											
123	<i>Aglais urticae</i> (Linnaeus, 1758)	LC											
124	<i>Polygonia e-album</i> (Linnaeus, 1758)	LC											
125	<i>Polygonia egea</i> (Cramer, 1775)	-											
126	<i>Araschnia levana</i> (Linnaeus, 1758)	LC											
127	<i>Argynnis pandora</i> ([Denis & Schiffmüller], 1775)	LC											
128	<i>Argynnis paphia</i> (Linnaeus, 1758)	-											
129	<i>Speveria aglaja</i> (Linnaeus, 1758)	-											
130	<i>Fabriciana adippe</i> ([Denis & Schiffmüller], 1775)	LC											
131	<i>Fabriciana niobe</i> (Linnaeus, 1758)	LC										LC	NT
132	<i>Issoria lathonia</i> (Linnaeus, 1758)	LC											
133	<i>Brenthis hecate</i> ([Denis & Schiffmüller], 1775)	LC											
134	<i>Brenthis daphne</i> ([Denis & Schiffmüller], 1775)	LC											
135	<i>Boloria graeca</i> (Staudinger, 1870)	LC							x				

